



WALLACE PERIMETER SECURITY UNIFENCE

UniFence is a innovative fence that is versatile, beautiful and strong. The strength of the U-profile and through connection of the vertical rods makes the UniFence undeniably stronger. UniFence has been proven to take 2.5 times longer to breach than traditional welded wire. From protecting where children play to protecting critical infrastructure, UniFence guards what matters.



UNIFENCE CHILD

UniFence Child provides maximum protection and safety, making it the ideal choice for wherever the protection of small children is a priority. The narrow mesh size makes it difficult for children to reach through or to climb over. Smooth top and bottom fence endings with no sharp edges or protruding points provides further injury protection.



UNIFENCE

UniFence is a attractive fence option delivering great value for a wide variety of applications. Every intersecting point between the U-profile and the wire bars is welded together, making it stronger and more secure. This line of UniFence provides an attractive fencing option with good visibility.



UNIFENCE SECURITY

UniFence Security provides the highest level of security while enhancing the beauty of the property. The narrow mesh size and the added security bracket deters even the most motivated trespassers from climbing over or cutting through the perimeter.



WALLACE PERIMETER SECURITY WELDED WIRE								
	Features	Gauge of Wire	Mesh Opening	Standard Height	Standard Length	Finish	Options	Recommended Application
UniFence	 See-through panels Simple and cost effective installation Versatile post and flange system Brackets and hardware for all installations 	Horizontal Wire and Vertical Wire .196" DIA (5 mm)	2.12" X 7 %" X 15 ¾" (54 mm x 200 mm x 400 mm)	4', 6', 8' (1245 mm, 1778 mm, 2464 mm)	8'3" (2510 mm)	Pre-galvanized polyester powder coated	 Various cap styles Rectangle and round post options 	 Industrial applications Housing projects Health care/research facilities Overpasses and parking facilities
UniFence Child	 Post has no visible fixings Smooth top and bottom Removal of bars Narrow mesh size, making it difficult to reach hands through Simple cost effective installation Difficult to cut and climb 	Horizontal Wire and Vertical Wire 1 x .196" DIA (5 mm)	1 ¾" X 7 %" X 15 ¾" (35 mm x 200 mm x 400 mm)	3'4", 4', 4'6" (1010mm, 1210mm, 1410mm)	8'3" (2510 mm)	Hot-dip galvanized and polyester powder coated	 Various cap styles Rectangle and round post options 	 Schools Pools and amusement parks, Tennis courts, public parks and playgrounds
UniFence Security	 Difficult to cut and climb See-through panels Simple and cost effective installation Versatile post and flange system Brackets and hardware for all installations 	Horizontal Wire and Vertical Wire 2 x .236" DIA (6 mm)	2.12"X 7 %" (54 mm x 200 mm), center to center	4', 6', 8' (1245 mm, 1778 mm, 2464 mm)	8'3" (2510 mm)	Pre-galvanized polyester powder coated	Various cap styles Rectangle and round post options	 Airports Parking facilities Commercial and industrial properties High risk areas







115 Lowson Crescent Winnipeg, Manitoba Canada R3P 1A6 Phone: 866.300.1110 Fax: 204.284.1868

wallaceperimetersecurity.com

U-PROFILE

The unique U-profile separates the UniFence from welded wire and provides extra protection. The U-profile allows for the installation of detection cables, lighting and other accessories.

Dimensions: U-profile : 10/20/10 mm